Pneumonia Deaths in Utah Hospitals (IQI 20)

Adults 18 Years and Over: 2005-2007

Hospital	Patients (Denominator)	Actual Rate	Expected Rate	Statistical Rating
Utah Overall	16,237	3.1%	5.1%	* * *
Allen Memorial Hospital	79	5.1%	2.6%	* *
Alta View Hospital	576	2.4%	5.6%	* * *
American Fork Hospital	470	3.2%	4.7%	* *
Ashley Valley Hospital	153	2.0%	3.0%	* *
Bear River Valley	84	2.4%	2.5%	* *
Beaver Valley Hospital	222	3.6%	2.8%	* *
Brigham City Community	84	2.4%	2.9%	* *
Castleview Hospital	376	3.7%	3.9%	**
Central Valley Hospital	129	4.7%	3.3%	* *
Cottonwood Hospital	956	3.3%	6.2%	* * *
Davis Hospital	513	4.5%	3.5%	* *
Delta Community	68	5.9%	3.3%	* *
Dixie Regional	1,090	4.3%	5.5%	* *
Fillmore Community	52	0.0%	2.1%	* *
Garfield Memorial	121	2.5%	2.8%	**
Gunnison Valley Hospital	173	2.3%	2.0%	* *
Heber Valley Hospital	113	1.8%	4.0%	* *

Continued on Next Page

Most Utah hospitals in this table had about the same rate of deaths as expected compared to similar patients nationwide. 11 Utah hospitals had a lower rate than expected (***). No hospital had a higher rate than expected.

See additional hospitals that treated at least one patient but less than 30 patients.

View Data Limitations.

Rating: based on the Exact 95% Confidence Interval test of statistical significance.

*** Lower % deaths than expected, ** Same % deaths as expected, * Higher % deaths than expected

Actual deaths: percentage of patients who received care for this condition or procedure and died in this hospital. **Expected deaths:** percentage of patients who were expected to die at this hospital if it performed the same as other U.S. hospitals that treated similar patients (age, gender, how ill the patients were).

Pneumonia Deaths in Utah Hospitals (IQI 20)

Adults 18 Years and Over: 2005-2007

- CONTINUED -

Hospital	Patients (Denominator)	Actual Rate	Expected Rate	Statistical Rating
Utah Overall	16,237	3.1%	5.1%	* * *
Intermountain Medical Care	58	3.4%	6.6%	* *
Jordan Valley Hospital	628	1.8%	4.0%	* * *
Kane County Hospital	147	1.4%	3.1%	* *
LDS Hospital	871	1.8%	6.0%	* * *
Lakeview Hospital	587	5.8%	6.1%	* *
Logan Regional	442	3.2%	5.9%	* * *
McKay-Dee Hospital	1,268	3.2%	5.9%	* * *
Mountain View Hospital	314	2.5%	4.7%	* *
Mountain West Hospital	200	1.5%	4.3%	* *
Ogden Regional	563	2.8%	5.4%	* * *
Pioneer Valley Hospital	590	2.0%	4.5%	* * *
Salt Lake Regional	314	2.9%	4.7%	* *
San Juan Hospital	76	3.9%	4.3%	* *

Continued on Next Page

Most Utah hospitals in this table had about the same rate of deaths as expected compared to similar patients nationwide. 11 Utah hospitals had a lower rate than expected (***). No hospital had a higher rate than expected.

See additional hospitals that treated at least one patient but less than 30 patients.

View Data Limitations.

Rating: based on the Exact 95% Confidence Interval test of statistical significance.

*** Lower % deaths than expected, ** Same % deaths as expected, * Higher % deaths than expected

Actual deaths: percentage of patients who received care for this condition or procedure and died in this hospital. **Expected deaths:** percentage of patients who were expected to die at this hospital if it performed the same as other U.S. hospitals that treated similar patients (age, gender, how ill the patients were).

Pneumonia Deaths in Utah Hospitals (IQI 20)

Adults 18 Years and Over: 2005-2007

- CONTINUED -

Hospital	Patients (Denominator)	Actual Rate	Expected Rate	Statistical Rating
Utah Overall	16,237	3.1%	5.1%	* * *
Sanpete Valley Hospital	145	2.1%	2.8%	* *
Sevier Valley Hospital	189	2.6%	3.4%	* *
St. Mark's	1,080	2.5%	6.0%	***
Timpanogos Regional	295	3.7%	5.1%	* *
Uintah Basin Hospital	163	3.1%	2.7%	* *
University Health Care	1,173	2.0%	5.6%	* * *
Utah Valley Regional	992	4.9%	6.3%	* *
Valley View Hospital	336	2.4%	3.4%	* *
Veterans Administration Medical Center	530	4.5%	7.5%	* * *

Most Utah hospitals in this table had about the same rate of deaths as expected compared to similar patients nationwide. 11 Utah hospitals had a lower rate than expected (***). No hospital had a higher rate than expected.

See additional hospitals that treated at least one patient but less than 30 patients.

View Data Limitations.

Rating: based on the Exact 95% Confidence Interval test of statistical significance.

*** Lower % deaths than expected, ** Same % deaths as expected, * Higher % deaths than expected

Actual deaths: percentage of patients who received care for this condition or procedure and died in this hospital. **Expected deaths:** percentage of patients who were expected to die at this hospital if it performed the same as other U.S. hospitals that treated similar patients (age, gender, how ill the patients were).